

AMENDMENTS TO THE CLAIMS

The following is a marked-up version of the claims with the language that is underlined ("___") being added and the language that contains strikethrough ("—") being deleted:

1-21. (Cancelled)

Sub
CV 22. (Currently Amended) A system for ensuring synchronization of multiple applications at remote locations, the system comprising:

plb local application sharing logic configured to receive events to be shared from a plurality of local applications, the ~~logic~~ local application sharing logic further configured to transmit the events;

remote application sharing logic configured to receive ~~the~~ events from the local application sharing logic, ~~the remote application sharing logic further configured to transmit the events to a plurality of remote applications; and~~

remote event buffering logic configured to buffer ~~the~~ events received by the remote application sharing logic, the remote event buffering logic further configured to determine if ~~the~~ remote applications are ready to receive the events by sending an inquiry to the remote applications requesting notification when the remote applications are ready to receive the events;

the remote application sharing logic further configured to transmit events to the remote applications when the remote applications indicate a ready-to-receive status in response to the inquiry.

23. (Cancelled)

24. (Previously Added) The system of claim 22, further comprising:

local buffering status logic configured to suspend the transmission of the events from the local application sharing logic when the remote application sharing logic indicates that the remote event buffering logic exceed a threshold.

25. (Previously Added) The system of claim 24, wherein the local buffering status logic further comprises:

application input suppression logic configured to suppress input to the plurality of local applications when the remote application sharing logic indicates that the remote event buffering logic exceeds the threshold.

26. (Previously Added) The system of claim 25, wherein the application input suppression logic further comprises:

application input enable logic configured to enable input to the plurality of local applications when the remote application sharing logic indicates that the remote event buffering logic is ready to receive the events.

27. (Currently Amended) A method for ensuring synchronization of multiple applications at remote locations, the method comprising:

transmitting events to be shared from a plurality of local applications;
receiving events in a local application sharing logic;
transmitting the events from the local application sharing logic;
receiving events, transmitted from the local application sharing logic, ~~in a~~ using remote application sharing logic;

buffering the events received in the remote application sharing logic;
determining if a plurality of remote applications are ready to receive the events by
sending an inquiry to the remote applications requesting notification when the remote
applications are ready to receive the events; and
transmitting the events from the remote application sharing logic to the remote
applications when the remote applications are ready to receive the events.

28. (Cancelled)

29. (Previously Added) The method of claim 27, further comprising:
suspending the transmission of the events from the local applications when the
remote application sharing logic indicates that a buffer exceeds a threshold.

30. (Previously Added) The method of claim 29, wherein suspending the
transmission further comprises:
suppressing input to the local applications when the remote application sharing
logic indicates that the buffer exceeds the threshold.

31. (Previously Added) The method of claim 30, wherein suspending the
transmission further comprises:
enabling input to the local applications when the remote application sharing logic
indicates that the buffer is ready to receive the events.

32. (Currently Amended) A system for ensuring synchronization of multiple
applications at remote locations, said system comprising:

means for transmitting events to be shared from a plurality of local applications;
 means for receiving events in a local application sharing logic;
 means for transmitting the events from the local application sharing logic;
 means for receiving events, transmitted from the local application sharing logic, in
 a remote application sharing logic;
 means for buffering the events received in the remote application sharing logic;
 means for determining if a plurality of remote applications are ready to receive the
 events by sending an inquiry to the remote applications requesting notification when the
remote applications are ready to receive the events; and
 means for transmitting the events from the remote application sharing logic to the
 remote applications when the remote applications are ready to receive the events.

33. (Cancelled)

34. (Previously Added) The system of claim 32, further comprising:

means for suspending the transmission of the events from the local applications
 when the remote application sharing logic indicates that the means for buffering exceeds a
 threshold.

35. (Previously Added) The system of claim 34, wherein the means for
 suspending the transmission further comprises:

means for suppressing input to the local applications when the remote application
 sharing logic indicates that the means for buffering exceeds the threshold.

36. (Previously Added) The system of claim 35, wherein the means for suspending the transmission further comprises:

means for enabling input to the local applications when said remote application sharing logic indicates that the means for buffering is ready to receive the events.
